



Focus 8.9

Digitalized Dental Production

Precise · Portable · Speedy · Stable



Flashforge Newest Arrival HD 4K LCD Printer for Dentistry

Wider Application

Equipped with the newest intelligent manufacturing technology developed by Flashforge, Focus 8.9 has been improved immensely in printing size, precision and stability, and is now available for various applications like orthodontics & prosthetics in stomatology.



Implant Surgical Guide



Tray



Model
(Full Ceramic Crown)



Focus 8.9



Fixed Restoration





Night Guard



Denture Base

Better Printing Quality

The Z-axis motor system allows the device to have stabler & finer printing performance, as well as service life twice that of common rod motor.



Subpixel Compensation

With the subpixel compensation algorithm developed by Flashforge, the prints boast smoother surface texture and higher printing accuracy.

Stabler Printing Performance


The optical engine system developed by Flashforge allows the difference in energy distribution to be less than 10%. In this way, more than 90% of the print is promised in its accuracy and success rate is improved by 30%.



Diagram of energy distribution


Increased Output

Focus 8.9 has 97% more print size than traditional DLP printers and can print twenty-one orthodontic dental models at once, twice that of common output.



Easier Operation

When importing oral scanning data(stl.), the software will recognize this file, rotate oral scanning dental models first, keep the teeth straight up or down. Click dental model with right mouse to generate dental base.



Perfected Solutions

For customers having dental problems, we have a multitude of cases and solutions, where material science & dental experts work out various problems at most considerate service. The device is also compatible with dental resin from common brands.

NextDent

DETAX



dentona

Specifications

Print Speed	10-50 mm/H
Build Volume	192*120*200 mm
Layer Height	0.025-0.2 mm (Adjustable)
XY Resolution	0.05 mm
Wavelength	405 nm
Z-axis	Industrial Linear Guide + Ball Screw
Projection Screen	8.9-inch 4K Monochrome Screen
Build Plate	Sandblasting (Increased Adhesion) & Drilling (Facilitate Drainage)
Vat Capacity	0.5L
Connectivity	USB
Rated Power	320W
Printer Dimension	300*300*536mm
Touch Screen	3.5" Touch Screen



INDIA DEALER:

TechnoVision Engineering & Services (I) Pvt. Ltd.

G-1, B Wing, Gr. Floor, Prarthana Star,
Opp. D-Mart, Sahar Marg, Andheri (East),
Mumbai - 400 069.

Contact us: +9122 2682 6912 / +91 99309 78247

Email: sales@technovisionengg.com

Web: www.technovisionengg.com